

# JLG ES2632 SCISSOR LIFT

## OPERATING INSTRUCTIONS & SPECIFICATIONS

### Quick Start Guide

*The ground control station and platform control station emergency stop buttons (RED) must be set to "ON" in order to operate this machine.*

- 1. Travelling and steering** – Place the key selector switch on the ground control station to platform operation. On the platform control station, position the lift/drive switch to the drive position
  - **To move unit forward and backward:** Grab the joystick and pull the trigger on the back side. Push forward to move forward and pull backward to drive the unit backward.
  - **To steer the unit:** At the top of the joystick there is a rocker switch. Push the left side of the switch to turn the wheels left and push the right side of the switch to turn the wheels to the right.
- 2. Raising and lowering platform** – On the platform control station, position the lift/drive switch to the lift position
  - **To raise and lower platform** – Grab the joystick and squeeze the trigger on the back side. Pulling the joystick will raise the platform and pushing the joystick will lower the platform.
- 3. When unit is not in use** – Make sure to push the emergency stop button when the machine is not in use. This will preserve the battery and avoid any accidents.
- 4. Getting power to the platform** – If you are using electric tools while in the air, there is a power outlet on the platform. In order to power the outlet, you must grab the plug from the front of the machine and plug it into a power source. This will provide the power to the platform outlet.
- 5. Charging the Lift** – At the base of the rear of the unit (where you climb onto the platform) there is a charging cord. Plug it into a power source to charge the unit.

**JLG ES2632 SCISSOR LIFT**  
**OPERATING INSTRUCTIONS & SPECIFICATIONS**

**Unit Specifications**

<b>Ground Clearance</b>	<b>4"</b>
<b>Machine Height</b>	<b>7'4"</b>
<b>Machine Height (Rails Folded)</b>	<b>5'10"</b>
<b>Machine Length</b>	<b>7'10"</b>
<b>Machine Width</b>	<b>2'8"</b>
<b>Machine Weight</b>	<b>4,400lb</b>
<b>Platform Extension Length</b>	<b>2'10"</b>
<b>Platform Height – Lowered</b>	<b>3'8"</b>
<b>Platform Railing Height</b>	<b>3'8"</b>
<b>Platform Size</b>	<b>25.4in x 84in</b>
<b>Wheel Base</b>	<b>6'2"</b>
<b>Platform Height</b>	<b>25'6"</b>
<b>Working Height</b>	<b>31'6"</b>
<b>Gradeability</b>	<b>25%</b>
<b>Platform Capacity</b>	<b>507lb</b>
<b>Platform Capacity – Extension</b>	<b>265lb</b>